
NOXLITE LED HP FLOODLIGHT II

Outdoor LED flood- and spotlights



Product family datasheet

Technical data

Product description	Electrical data				Photometrical data				Dimensions & weight	
	Nominal wattage	Nominal voltage	Mains frequency	Operating mode	Color temperature	Luminous flux	Light color (designation)	Color rendering index Ra	Length	Width
NOXLITE LED HP FLOODLIGHT 23 W WT	23.0 W	220...240 V	50/60 Hz	ECG	3000 K	1600 lm	Warm white	80	189.0 mm	167.0 mm
NOXLITE LED HP FLOODLIGHT 40 W WT	40.0 W	220...240 V	50/60 Hz	ECG	3000 K	2800 lm	Warm white	80	210.0 mm	171.0 mm
NOXLITE LED HP FLOODLIGHT 23 W GR	23.0 W	220...240 V	50/60 Hz	ECG	3000 K	1600 lm	Warm white	80	189.0 mm	167.0 mm
NOXLITE LED HP FLOODLIGHT 40 W GR	40.0 W	220...240 V	50/60 Hz	ECG	3000 K	2800 lm	Warm white	80	210.0 mm	171.0 mm

Product description	Height	Colors & materials			Temperatures	Additional product data		Capabilities
		Body material	Product color	Cover material	Ambient temperature range	Number of lighting outlets	Equipped with lamp	Type of installation
NOXLITE LED HP FLOODLIGHT 23 W WT	203.0 mm	Plastic	White	Plastic	-20...+40 °C	2 x 1	Yes	Direct mounting
NOXLITE LED HP FLOODLIGHT 40 W WT	228.0 mm	Plastic	White	Plastic	-20...+40 °C	2 x 1	Yes	Direct mounting
NOXLITE LED HP FLOODLIGHT 23 W GR	203.0 mm	Plastic	Grey	Plastic	-20...+40 °C	2 x 1	Yes	Direct mounting
NOXLITE LED HP FLOODLIGHT 40 W GR	228.0 mm	Plastic	Grey	Plastic	-20...+40 °C	2 x 1	Yes	Direct mounting

Product description	Type of connection	Accessories	Certificates & standards	
			Standards	Protection class
NOXLITE LED HP FLOODLIGHT 23 W WT	Terminal, 3-pole	Screw / Dovels / Washers	CE	I

Product family datasheet

Product description	Type of connection	Accessories	Certificates & standards	
			Standards	Protection class
NOXLITE LED HP FLOODLIGHT 40 W WT	Terminal, 3-pole	Screw / Dovels / Washers	CE	I
NOXLITE LED HP FLOODLIGHT 23 W GR	Terminal, 3-pole	Screw / Dovels / Washers	CE	I
NOXLITE LED HP FLOODLIGHT 40 W GR	Terminal, 3-pole	Screw / Dovels / Washers	CE	I

Product description	Type of protection	Country specific categorizations
		Order reference
NOXLITE LED HP FLOODLIGHT 23 W WT	IP44	NXL LED HPFLOOD
NOXLITE LED HP FLOODLIGHT 40 W WT	IP44	NXL LED HPFLOOD
NOXLITE LED HP FLOODLIGHT 23 W GR	IP44	NXL LED HPFLOOD
NOXLITE LED HP FLOODLIGHT 40 W GR	IP44	NXL LED HPFLOOD

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.