

PARATHOM LED PIN G9

Special LED lamps



Areas of application

- Atmospheric accent lighting throughout the home
- Shops, hotels and restaurants
- Foyers, offices

Product benefits

- Very low energy consumption
- Much longer relamping intervals (compared with the standard reference product)
- No UV and near-IR radiation in the light beam
- Instant 100 % light, no warm-up time
- Lower thermal output (compared with the standard reference product)

Product features

- Not dimmable
- Base: G9
- Lifetime: up to 15,000 h
- Mercury-free lamps
- Color temperature: 3,000 K



Product family datasheet

Technical data


Product description	Electrical data			Photometrical data				Light technical data	Dimensions & weight
	Nominal wattage	Nominal voltage	Rated luminous flux	Nominal luminous flux	Color temperature	Color rendering index Ra	Light color (designation)	Warm-up time (60 %)	Overall length
PARATHOM LED PIN 1.9 W/830 G9 ¹⁾	1.90 W	220...240 V	140 lm	140 lm	3000 K	82	Warm White	< 0.50 s	57.8 mm

Product description	Diameter	Lifespan			Additional product data			Capabilities	Certificates & standards
		Nominal lamp life time	Number of switching cycles	Lumen main. fact. at end of nom. life time	Base (standard designation)	Lamp mercury content	Mercury-free	Dimmable	Energy efficiency class
PARATHOM LED PIN 1.9 W/830 G9 ¹⁾	18.0 mm	15000 h	100000	0.70	G9	0.0 mg	Yes	No	A+

Product description	Country specific categorizations
	ILCOS
PARATHOM LED PIN 1.9 W/830 G9 ¹⁾	DRGST/F-1,9-220-240-G9-18/58

¹⁾ All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value/In development, data preliminary

Product family datasheet



PARATHOM LED PIN 1.9 W/830 G9

Application advice

For more detailed application information and graphics please see product datasheet.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899920590	PARATHOM LED PIN 1.9 W/830 G9	Shipping carton box 20	132 mm x 107 mm x 76 mm	1.07 dm ³	308.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product family datasheet

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.