
PUNCTOLED IP65

LED downlights



Product benefits

- Pleasant homogenous light
- Long lifetime thanks to LED technology
- Low profile

Product features

- Recessed LED downlight
- Type of protection: IP65
- Extremely low profile
- Solid aluminum housing in white
- Beam angle: 90°
- Color temperature: 3,000 K
- Lifetime: up to 50,000 h
- Protection class: II
- Dimmable (with suitable Phase-cut dimmers)







Product family datasheet

Technical data

Product description	Electrical data		Photometrical data				Light technical data	Dimensions & weight		Colors & materials	
	Nominal wattage	Nominal voltage	Color temperature	Luminous flux	Light color (designation)	Color rendering index Ra	Beam angle	Diameter	Height	Body material	Product color
PUNCTOLED IP65 10 W WT	10 W	220...240 V	3000 K	600 lm	Warm white	>80	90 °	110.0 mm	43.0 mm	Aluminum	White
PUNCTOLED IP65 2X5.5 W WT	5.5 W	220...240 V	3000 K	330 lm	Warm white	>80	90 °	80.0 mm	35.0 mm	Aluminum	White

Product description	Capabilities		Certificates & standards		Country specific categorizations
	Type of installation	Adjustable	Protection class	Type of protection	Order reference
PUNCTOLED IP65 10 W WT	Recessed	No	II	IP65	41194
PUNCTOLED IP65 2X5.5 W WT	Recessed	No	III	IP65	41193



Product family datasheet

PUNCTOLED IP65 10 W WT

PUNCTOLED IP65 2X5.5 W WT

PUNCTOLED IP65 10 W WT

PUNCTOLED IP65 2X5.5 W WT

Equipment / Accessories

– External control gear included (cabled on the secondary side)

Application advice

For more detailed application information and graphics please see product datasheet.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899910652	PUNCTOLED IP65 10 W WT	Shipping carton box 4	289 mm x 199 mm x 268 mm	15.41 dm ³	2223.00 g
4052899910645	PUNCTOLED IP65 2X5.5 W WT	Shipping carton box 4	289 mm x 199 mm x 268 mm	15.41 dm ³	2564.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.
